

TECHNO MODULE

MODULAR
ELSTEEL
ENCLOSURES



www.elsteel.com


The best technical solution at the best possible price

INTRODUCTION

ELSTEEL is a world leader in the design, development and manufacture of modular panel enclosures.

This is built on a strong foundation of 30+ years of operations supported by continual investment in research and development. Our objective is as simple as our products: To manufacture the world's best enclosures at the best possible price.

ELSTEEL delivers enclosure solutions for every build. Whether it be a small Terminal Box or the largest custom designed distribution panel for an Olympic Size Stadium, ELSTEEL delivers the solution.



TECHNO MODULE

This brochure explains the advantages of Techno Module and how it can be used.

Techno Module is a patented 200mm grid modular system for the switchboard manufacturing industry, successfully tested to IEC 61439-1.

It is the result of many years of work in research and development, and continuous testing at recognised test stations around the world.


Techno Module is an open system that can accommodate all major brands of breakers, contactors, relays etc.

THE ELSTEEL PANEL DEESIGNER

Data Entry



Select and draw



The first step in designing a successful distribution or motor control center is planning with the ELSTEEL Panel Designer (EPD).


Many panel builders spend a lot of time quoting projects. But in most cases it's only 5-10% of the projects they quote that they actually get. So in order to save time in the office and spend more time with the customer, we have created a free software that allows the sales rep or engineer to design panels quickly! Within 5-15 minutes you can draw a panel board and get a BOM including copper and electrical items.

The program is compatible with both Excel and AutoCad, and you also get temperature rise calculations.

Spend less time calculating and more time selling with EPD!

FRAME WORK

The Techno Module system is modular in steps of 200 mm in all three directions.



That means that there is no limit to the possibilities and positions.

The strong framework is made from 2mm electrogalvanised powder coated steel profile.

It forms a 25mm grid and can be arranged in an unlimited number of ways.

It rests on a modular base frame which incorporates all facilities for dividing and transportation.

Smaller panels up to 1000 Amps can be built in the economical Techno Module Light DB2.



BUSBARS



The busbar system incorporates the use of 10 mm thick flat bars.

Either copper or aluminium.

The holders are made from specially formulated plastics, and can be mounted in any position inside the framework.

The holders are made from specially formulated plastics, and can be mounted in any position inside the framework.

During countless type-testing, up to 7100 Amp 100 kA/ 1sec, the holders have been tested rigorously again and again.

The holders do not incorporate bolts for clamping but allow the bars to slide during heating and cooling. This eliminates the risk of loose bolts and nuts.

FORM 3 + 4

Highest forms of personal safety as well as protection of materials and environment.

With these separation plates installed it is possible to work in one section of the panel board while the rest of the panel is live.

Separation plates prevent foreign objects or particles (resulting from a short circuit in one section) from contaminating the whole panel, thereby preventing the risk of complete panel damage.



ARC FAULTS



Arc Filters have been included in the design of the separation plate. Once you install the standard chimneys your enclosure is arc safe.

This means that no flames or solid objects will explode towards the operator in front of the panel.

TESTING + FINISH

Each and every panel is tested by the panel builder/integrator in accordance with specifications from the Constructors Manual, and the routine test specified in IEC 61439-1, before shipment.


The surface of the panel is powder coated in RAL 7035 fine textured finish. It's easy to maintain and will look 'as new' for many years.

Phosphated and chrome-passivated pretreatment makes the panel suitable for tough climates and conditions. Degree of protection up to IP55.

After commissioning, the panel is easily expanded and breakers or motor starters can be removed or fitted while it is live.



INSTALLATION COMMISSIONING




Each and every ELSTEEL enclosure is tested in accordance with IEC 61439-1, not only at the test station but also by the panel builder. Instructions are delivered with each panel explaining in detail how to transport and start the panel.

CERTIFICATION



TEST PERFORMED	CERTIFICATION AUTHORITY	CERTIFICATE REFERENCE
Techno Module Panels Comply to IEC 60439-1 / IEC 61439-1 & 2		
01. 400A Design Verified with Schneider breakers	ASTA	16361 A
02. 400A Design Verified with Schneider breakers	ASTA	16047
03. 400A type tested with LS breakers (Instant Panel Light)	ASTA	17013
04. 800A Design Verified with Schneider breakers	ASTA	16363 A
05. 800A Design Verified with Schneider breakers	ASTA	18048
06. 800A Design Verified with ABB breakers	ASTA	17545
07. Additional temperature rise test for ASTA-17545 test	IPH	3345.209/256.0969
08. 800A type tested with LS breakers (TM Light Panel)	ASTA	17012
09. 800A type tested with MG breakers (TM Light Panel)	ASTA	16869
10. 1000A Design Verified with GE breakers (TM Light Panel)	IPH	1819.2130777.0451
11. 1600A Design Verified with Schneider breakers	ASTA	16612 A
12. 1600A Design Verified with Schneider breakers	ASTA	17864
13. 1600A Design Verified with ABB breakers	ASTA	17544
14. Additional temperature rise test for ASTA-17544 test	IPH	3345.209/256.0966
15. 1600A type tested with LS breakers	ASTA	17011
16. 1600A type tested with GE breakers	ASTA	16149
17. 2000A type tested with Siemens breakers	ASTA	16783
18. 2000A Design Verified with Tenasuki breakers	DEKRA	2148971.101
19. 2500A Design Verified with GE breakers	IPH	1819.2130776.0500
20. 2500A Design Verified with ABB breakers	ASTA	16741
21. 2500A Design Verified with Schneider breakers	ASTA	16362 A
22. 2500A Design Verified with Schneider breakers	ASTA	16613 A
23. 2500A Design Verified with Schneider breakers	ASTA	18046
24. 2500A Design Verified with Schneider breakers	ASTA	17865
25. 2500A Design Verified with ABB breakers	ASTA	18050
26. Additional Temperature rise test for ASTA-18050 test	IPH	3457.2100397.0221
27. Additional Temperature rise test for ASTA-18050 test	IPH	3457.2100397.1032
28. 2500A Design Verified with ABB breakers	ASTA	17543
29. Additional temperature rise test for ASTA-17543 test	IPH	3345.209/254.0962
30. 2500A type tested with LS breakers	ASTA	17010
31. 2500A type tested with GE breakers	ASTA	16150
32. 2500A type tested with MG, ABB, Siemens, Jean Moeller breakers	IPH	513.228.6.394
33. 2500A temperature rise test & short circuit test	IPH	170.265.2.230
34. 3200A Design Verified with ABB breakers	ASTA	16740
35. 3200A Design Verified with MG breakers	ASTA	17615
36. 3200A Design Verified with Tenasuki breakers	DEKRA	2148971.100
37. Additional temperature rise test for ASTA-17615 test	IPH	3467.2100399.0218
38. 3200A type tested (AI Busbar) with ABB breakers	CPR	52060728
39. 3200A Short circuit test (AI Busbar) with ABB breakers	CPR	52060729
40. 3200A temperature rise test & short circuit test	ASTA	12796
41. 3500A Design Verified with Schneider breakers	ASTA	18868
42. 4000A Design Verified with Schneider breakers	ASTA	16614 A
43. 4000A Design Verified with Schneider breakers	ASTA	17756
44. 4000A Design Verified with ABB breakers	ASTA	17542
45. Additional temperature rise test for ASTA-17542 test	IPH	3345.209/253.0999
46. 4000A type tested with Tenasuki breakers	IPH	1819.1208.5.068
47. 5000A type tested with ABB & Jean Moeller breakers	IPH	1513.832/0.466
48. 5000A temperature rise test & short circuit test	ASTA	12690
49. 6300A Design Verified with ABB breakers	ASTA	17541
50. Additional temperature rise test for ASTA-17541 test	IPH	3345.209/252.1010
51. 6300A type tested with ABB breakers	IPH	1819.1061.3.431
52. 7100A type tested with ABB breakers	IPH	1819.1061.3.434
53. Short circuit test 80kA/1sec Fully Withdrawable busbar holder (new)	IPH	1819.2130089.0040
54. Short circuit test 80kA/1sec Plug & Power rear busbar holder	IPH	1819.2121286.0680
55. Short circuit test 50kA/3sec for OMH4 busbar holder with 2x10x40 Cu	IPH	1819.209103
56. Short circuit test 65kA/1sec for USH busbar holder with 1x50x10 Cu	TUV	19300462.001
57. Short circuit test 65kA for Power Cassette, FTM & Flexi Cu	TUV	19300462.004, 005
58. Short circuit test 100kA/1sec for 4x10x150 Cu	ASTA	15216
59. Degree of protection IP55 for TM panels	TESTSAFE	29539
60. 12kV impulse test for OMH4, BH, MAB busbar holders	IPH	1819.2130089.0218

TEST PERFORMED	CERTIFICATION AUTHORITY	CERTIFICATE REFERENCE
Techno Module Panels with insulated busbar Comply to IEC60439-1 / IEC61439-1&2		
01. Selected Verif. test for Insulated busbar 2x10x40 Cu with OMH4/ MAB	IPH	1819.2120714.6661
02. Selected Verif. test for Insulated busbar 2x10x60 Cu with OMH6	IPH	1819.2120714.0836
03. Selected Verif. test for Insulated busbar 3x10x100 Cu with OMH6	IPH	1819.2120714.0574
04. Selected Verif. test for Insulated busbar 6x10x80 Cu with OMH6	IPH	1819.2120714.0573
05. 12kV impulse test for OMH4 & MAB busbar holders	IPH	1819.2130089.0218

TEST PERFORMED	CERTIFICATION AUTHORITY	CERTIFICATE REFERENCE
Techno Module Panels Comply to other Standards		
01. 400kVAr Capacitor bank with EPCOS according to IEC 61921/ IEC 61469-1	ASTA	16738
02. Internal Arc fault test according to IEC 61641 & AS/NZS 3439.1 - 2002	TCA	102601 102380/ 102378
03. Internal Arc fault test according to AS/NZS 3439.1 - 2002	TUV	19300462.002 19300462.003 19300462.006 19300462.007
04. Cold & Damp Heat tests according to IEC 60068-2-1 & 60068-2-30 respectively	RST	P50-11-0101a
05. Vibrations test according to IEC 68-2-6 & IEC 68-2-36	VPAC	302649-01
06. Seismic test according IEC 68-3-3	VPAC	302649-02
07. Lloyd's Register type approval certificate for marine, offshore and industrial applications of stainless steel enclosure & 19" cabinets	LR	02/70003 (E2)
08. ABS type approval certificate for shipboard and associated marine & offshore installation	ABS	08-SG366750-PDA
09. Russian Maritime Register of Shipping (RS) Type approval certificate for Marine use	RS	10.00001.270
10. Bureau Veritas (BV) Type Approval Certificate for Marine use	BV	22875/AO BV
11. Det Norske Veritas (DNV) Type Approval Certificate for offshore use	DNV	E-10273
12. Germanischer Lloyd (GL) Type Approval Certificate for offshore use	GL	19479-11 HH
12.  Mark for selected TM Panel components	UL	20130305-E 207550

Also by ELSTEEL



Box



TM Light



19" Super Frame

For more certifications and latest updates please see www.elsteel.com

For more certifications and latest updates please see www.elsteel.com

MATERIAL SPECIFICATION

Techno Module	
Base Frame	2mm mild steel powder coated in black (RAL 9005)
Corners	Aluminium die casted powder coated in Light grey (RAL 7035) Fine tex.
Corner Bar / Cross Bar	Electro galvanized 2mm powder coated in Light grey (RAL 7035) Fine tex.
Doors / Covers	Mild steel 1.5mm powder coated in Light grey (RAL 7035) Fine tex.
Doors with window	Mild steel 1.5mm powder coated in Light grey (RAL 7035) Fine tex. & 4mm Tempered Tinted glass
Door Stabilizer	Mild steel 20*20*1.5 square pipe powder coated in Light grey (RAL 7035) Fine tex.
Door with cable glands	Mild steel 1.5mm powder coated in Light grey (RAL 7035) Fine tex.
Mounting Plate	Mild steel 2mm powder coated white (RAL 9010) / 2mm Alu-zinc
Separation Plates	Mild steel (2*2, 2*4, 2*6, 4*4, 4*6,) 1 mm painted white (RAL 9010)
Flat Cover	Mild steel 1.5mm painted in Light grey (RAL 7035) Fine tex.
Panel Assembly Kit	Mild steel 3mm zinc plated
Cable Holder	Mild steel 1.5mm painted white (RAL 9010) for up to 600mm and Mild steel 2mm painted white (RAL 9010) for 600mm & above
Lifting Eyes (14380)	Mild steel 3mm powder coated in black (RAL 9005)
Lifting Eyes (14390)	Mild steel 3mm zinc plated
Wall Mounting Brackets	Mild steel 3mm powder coated in Light grey (RAL 7035) Fine tex.
Transport Wheel Holder	Mild steel 3mm powder coated in black (RAL 9005)
Busbar Holder	Self extinguishing fibre material / reinforced PC
Fish Plate	Copper 10mm
H to V connectors	Copper 10mm
Busbar tap off - 21000	Dia 10mm zinc plated
- 21010 & 21020	Copper 5mm
- 21030	Mild steel 3mm zinc plated
Bracket for earth conductor	Mild steel 3mm zinc plated
Copper Spacer	Copper Dia 30
Instant Pane - Casing	Mild steel 1.5mm powder coated in Light grey (RAL 7035) Fine tex.
- Doors	Mild steel 1.5mm powder coated in Light grey (RAL 7035) Fine tex.
- Mounting Plate	Mild steel 2mm powder coated in white (RAL 9010) / Alu-zinc 2mm

Techno Module Light	
- Base frame Light	Mild steel 1.5 mm powder coated in black (RAL 9005)
- Corner bar/ Cross bar Light	Electro galvanized 1mm powder coated in Light grey (RAL 7035) Fine tex.
- Doors / Covers Light	Mild steel 1mm powder coated in Light grey (RAL 7035) Fine tex.
- Instant plate Light	Mild steel 1mm powder coated in Light grey (RAL 7035) Fine tex.
- Gland plate Light	Mild steel 1.5mm powder coated in Light grey (RAL 7035) Fine tex.

REFERENCES

Customer	Product	Country
Olympic Stadium	Main Distribution Panel	Australia
British Aerospace	Main Distribution Panel	Australia
Coft Telecom	Techno Module	Belgium
NATO Headquarters	Techno Module MCC	Belgium
Ministry of Defence	Motor Control Center	Dubai
Giga Gold Refinery	2500A LV Panels	Dubai
Jebel Ali Air Port	Main Distribution	Dubai
Nordbahnhof Berlin	NSHV and GHV	Germany
Alcatel Stuttgart	NSHV and GHV	Germany
National Hospital	4000A Switchboard	Iceland
Eskifjord Ltd	2500A Switchboard	Iceland
Hyundai Motor India Ltd	Techno Module	India
Nokia Mobile Phone Facility Project	Techno Module	India
Toyota Kirloskar Motor Pvt Ltd	PCC Panels - Techno Module	India
Radisson Hotel	Techno Module/ Form 4	Jordan
Amman East Station	Form 4 Motor Control Center D/D	Jordan
Central Bank of Kenya	Main Board/ Sub Boards	Kenya
Commercial Bank of Africa	Main Board/ Sub Boards	Kenya
Mullins Factory	Distribution Boards	Maldives
SAVANNAH Sugar Estate	Techno Module and MCC	Mauritius
Livesund Elektro AS	1600A Main Panels	Norway
Power Plant Mar Kraftverk	Motor Control Center	Norway
Qatar International Stadium	Distribution Panel	Qatar
West Bay Cooling System - Phase 1	Form 4 Panel 7000A	Qatar
SAB Miller Beer Factory	Motor Control Center WWT Plant	Romana
Hydro Tech Engineering	Motor Control Center WWT Plant	Romana
Esso Deepwater Ltd	Generator Control Panel	Singapore
Shang Ri La Hotel	Techno Module	Singapore
Greenpoint Stadium (2010 World Cup)	Techno Module	South Africa
Coca Cola Dar Es Salaam	Techno Module	South Africa
Barcelona Air Port	Form 4 Motor Control Center	Spain
Jerez Air Port	Form 4 Motor Control Center	Spain
Manchester Air Port	Form 4 Motor Control Center	UK
Nokia	Main Switchboard	UK
International Air Port Doha	Techno Module MCC	UAE
Fujairah	Techno Module MCC	UAE
Brodosplit Shipyard	Marine Panel 6300A	Croatia

EUROPE

Elsteel UK Ltd. - United Kingdom
Tel: ++44 197 885 5000
Fax: ++44 197 885 5624
Mail: sales@elsteel.co.uk

Elsteel Ltd. - Poland

Tel: ++48 77 465 4666
Fax: ++48 77 465 4674
Mail: elsteel@elsteel.pl

Elsteel Ltd. - Ireland

Tel: ++44 289 077 4041
Fax: ++44 289 078 3197
Mail: ghwin@parkellect.co.uk

Envolvertes Elsteel - Spain

Tel: ++34 95 567 5999
Fax: ++34 95 567 5997
Mail: josmanuel@consocontrol.com

EFA Elektro AS - Norway

Tel: ++47 6 681 8400
Fax: ++47 6 680 0478
Mail: g@r.sogn@efa.no

RS Components Ltd. - England

Tel: ++44 1536 20 1234
Fax: ++44 1536 20 1501
Web: www.rswww.com

TMS GmbH - Germany

Tel: ++49 4554 705 6500
Fax: ++49 4554 705 6503
Mail: info@technomodul.de

Kulk Telecom B.V. - Netherlands

Tel: ++31 182 61 8777
Fax: ++31 182 61 6064
Mail: info@kulk.nl

Rafaelidun M - Iceland

Tel: ++354 540 3500
Fax: ++354 540 3501
Mail: kolbeinn@rafaelidun.is

M. N. Control Panels Ltd. - Cyprus

Tel: ++357 25 71 4816
Fax: ++357 25 71 4415
Mail: info@mcontrolpanels.com

Culic Elektro Center - Croatia

Tel: ++38 5 2120 4333
Fax: ++38 5 2120 4343
Mail: niksa@culiccc.hr

Elektra-Bree-Bordenbouw nv - Belgium

Tel: ++32 8941 0041
Fax: ++32 8941 0049
Mail: kgh@bbs.be

Alwynse Panelenbouw B.V. - Netherlands

Tel: ++31 243 716 511
Fax: ++31 243 716 510
Mail: a.fehrent@alwynse.nl

Montakon - Netherlands (Box Items)

Tel: ++31 73 599 6000
Fax: ++31 73 599 6050
Mail: michiel.janssen@montakon.nl

EUROPE - Contd.

SKS Automatio Oy - Finland
Tel: ++358 20 764 61
Fax: ++358 20 764 6820
Mail: automaatio@sk.fi

Cebco Limited - Czech Republic

Tel: ++420 604 645 648
Mail: info@cebco.cz
Mail: cebco@seznam.cz

UAB Electric Box - Lithuania

Tel: ++370 45 580 242
Fax: ++370 45 580 242
Mail: saulius@electricbox.lt

CANADA

Westshore Controls - Canada

Tel: ++1 604 817 0987
Fax: ++1 604 943 1661
Mail: westshorecontrols@gmail.com

NORTH AMERICA

Energy Management Corporation - USA

Tel: ++1 801 366 4100
Fax: ++1 801 487 7437
Mail: prostaff@emc-solutions.com

SOUTH AMERICA

Protecnica S.R.L. - Argentina

Tel: ++54 0 11 4844 0871
Fax: ++54 0 11 4844 0871
Mail: info@protecnica-fotec.com.ar

AUSTRALIA

IPD Group Ltd. - Australia & New Zealand

Tel: ++61 2 9545 0777
Fax: ++61 2 9545 1608
Mail: brian.rochick@ipdgroup.com.au

MIDDLE EAST

Voltamp Energy SAOG - Oman

Tel: ++968 2 444 9140
Fax: ++968 2 444 6584
Mail: env@voltampoman.com

Sharikah Fanniyyah Omaniyah Ltd. - Oman

Tel: ++968 2 481 5970
Fax: ++968 2 481 0700
Mail: sfoelect@omartel.net.om

National Electrical Industries Co. LLC. - Oman

Tel: ++968 2 445 4028
Fax: ++968 2 445 3721
Mail: venkatraman@neicooman.com

Power & Control Fzco - Dubai

Tel: ++971 4 883 0391
Fax: ++971 4 883 0392
Mail: mazen@pcnco.com

Elsteel Middle East LLC - Dubai

Tel: ++971 4 396 7033
Fax: ++971 4 396 7033
Mail: info@elsteelme.com

Harb Electric - Lebanon

Tel: ++961 1 821 625
Fax: ++961 1 821 626
Mail: mazen_harb@harbelectric.com

Jewad Electric Switchgear Mfg. - Jordan

Tel: ++962 6 488 5617
Fax: ++962 6 488 1481
Mail: b_hind@jewadswitchgear.com

MIDDLE EAST - Contd.

Schneider Electrical Engineering Ltd - Israel
Tel: ++972 4 609 4433
Fax: ++972 4 648 2216
Mail: oded@schneider.co.il

PAC International - Qatar

Tel: ++974 6099 6445
Fax: ++974 4469 0064
Mail: marin_harb@harbelectric.com

KG Switchgear - Qatar

Tel: ++974 4416 5836
Fax: ++974 4416 5837
Mail: kumar@kgswitchgear.com

Zaki El-Sewedy Group - Egypt

Tel: ++202 334 43762
Fax: ++202 330 30860
Mail: hesham.saleh@elosewedy.net

Pacific Ocean Elect. Switchgear Ind. - Sharjah

Tel: ++971 653 45334
Fax: ++971 653 47212
Mail: henry@pacificocean.ae

ASIA

Elsteel Ltd. - Sri Lanka

Tel: ++94 11 225 2486
Fax: ++94 11 225 2690
Mail: elsteel@elsteel.com

Elsteel Modular Products (Pvt) Ltd. - India

Tel: ++91 832 681 1111
Fax: ++91 832 681 1112
Mail: elsteel@elsteel.in

Elsteel Techno - Singapore & Malaysia

Tel: ++65 645 546 98
Fax: ++65 645 581 31
Mail: elsteel@singnet.com.sg

Fudo Automation Systems - Hyderabad, India

Tel: ++91 40 2004 0814
Fax: ++91 40 2754 4075
Mail: fudo@rediffmail.com

Prakticheskaya Elektrotehnika - Kazakhstan

Tel: ++7 727 3783 294
Fax: ++7 727 3783 487
Mail: ovetlugin@mail.ru

AFRICA

Elsteel Ltd. - South Africa

Tel: ++27 11 383 8300
Fax: ++27 11 824 1353
Mail: sales@elsteel.co.za

M & E Commercial Engineers Ltd. - Mauritius

Tel: ++230 670 5201
Fax: ++230 670 5200
Mail: mec.eng@net.mu

Specialised Power Systems Ltd. - Kenya

Tel: ++254 20 207 7210
Fax: ++254 20 353 2366
Mail: specialised@wananchi.com

CIS

JSC Electronmash - Russia

Tel: ++781 2 320 1262
Fax: ++781 2 320 1262
Mail: elsteel@electronmash.ru



ELSTEEL Denmark Fabriksvej 23 - 3000 Helsingør
Tel: +45 49 22 33 44 - Fax: +45 49 22 33 45
elsteel@elsteel.dk www.elsteel.com

MODULAR
ELSTEEL
ENCLOSURES